

**Amendments to the Claims:**

**This listing of claims will replace all prior versions, and listings, of claims in the application:**

**Claim 1. (previously presented): A lighting system comprising:**

**a frame member;**

**said frame member having a void portion;**

**an electrical light source emitter for emitting an electrical light;**

**said void for at least partially receiving said electrical light source emitter;**

**an eroded transparent or translucent glass member;**

**said eroded transparent or translucent glass member disposed such that said electrical light source emitter, when emitting light,**

**substantially contacts said eroded transparent or translucent glass member;**

**a reflective opaque glass backing member located within said void portion;**

**provided further that said reflective opaque glass backing member does not substantially interfere with the transmission of electrical light from said electrical light source emitter through said eroded transparent or translucent glass member.**

**Claim 2. (cancelled).**

**Claim 3. (previously presented): The lighting system according to claim 1 wherein said electrical light source emitter for emitting an electrical light extends substantially around the void.**

**Claim 4. (previously presented): The lighting system according to claim 1**

wherein said eroded transparent or translucent glass member has a lengthwise dimension, a heightwise dimension, a widthwise dimension, said heightwise dimension and said widthwise dimension at least partially defining, a forward surface of said eroded transparent or translucent glass member and a rear surface of said transparent or translucent glass member.

Claim 5. (previously presented): The lighting system according to claim 1 wherein said eroded transparent or translucent glass member is transparent.

Claim 6. (previously presented): The lighting system according to claim 1 wherein said eroded transparent or translucent glass member is translucent.

Claim 7. (currently amended): The lighting system according to claim 1 wherein ~~at least one of said eroded transparent glass member, said eroded translucent glass member, or~~ said reflective opaque glass backing member is at least partially painted.

Claim 8. (previously presented): The lighting system according to claim 1 wherein said void at least partially receives said eroded transparent or translucent glass member.

Claim 9. (previously presented): The lighting system according to claim 1 wherein said electrical light source emitter for emitting an electrical light is a rope light.

Claim 10. (previously presented): The lighting system according to claim 1 wherein the frame member is a picture frame.

Claim 11. (previously presented): The lighting system according to claim 1 wherein the frame member is a window frame.

Claim 12. (previously presented): The lighting system according to claim 1 wherein said eroded transparent or translucent glass member at least partially retains said electrical light source emitter within said void.

Claim 13. (previously presented): A lighting system comprising:

- a frame member;

- said frame member having a void portion;

- an electrical light source emitter for emitting an electrical light;

- said void for at least partially receiving said electrical light source emitter;

- at least one eroded transparent or translucent glass member;

- a reflective opaque glass backing member located within said void

portion;

- said electrical light source emitter, when emitting light, disposed between said eroded transparent or translucent glass member, and said reflective opaque glass backing member;

provided further that said reflective opaque glass backing member does not substantially interfere with the transmission of electrical light from said electrical light source emitter through said eroded transparent or translucent glass member.

Claim 14. (previously presented): The lighting system according to claim 13 wherein said electrical light source emitter is at least partially retained within said void by pressure from said eroded transparent or translucent glass member.

**Claim 15. (cancelled).**

**Claim 16. (previously presented):** The lighting system according to claim 13 wherein at least one of said transparent glass member, said, translucent glass member, or said reflective opaque glass backing member is at least partially painted.

**Claim 17. (previously presented):** The lighting system according to claim 13 wherein there is a single transparent or translucent glass member.

**Claim 18. (previously presented):** A method of lighting comprising:  
emitting an electrical light generated by an electrical light source emitter from within a frame member;  
said frame member having a void portion;  
said frame member further comprising at least one decorative eroded transparent or translucent glass member, and at least one decorative reflective opaque glass backing member wherein the emitted electrical light passes through at least one of said decorative eroded transparent or translucent glass member and reflects from said decorative reflective opaque glass backing surface.